




---

**Dimensions**


---

Product dimensions (mm)	31,5 x 1000 x 32,5
-------------------------	--------------------

---




---

**Scheme**


---

Scheme




---

**Product**


---

IP	20
Electrical class insulation	Class 1
Electrical feeding	100..240V, 50/60Hz
Colour	Grey

---



---

**Control gear**


---



---

**Accessories**


---

2400/04	End cover.
---------	------------

---

**Picture**



---

**Scheme**


---




---

2401D/01/04

---

DALI Left feeder

---



---

**DALI PULSE track surface L: 1000mm.**


---

**DESCRIPTION**

Electrified DALI PULSE track of 1 m. of the TROLL three-phase family track from the TROLL family. Designed for wall or ceiling surface mounted as well as hanging. Body made of extruded aluminium setting copper wires imbedded in PVC profile and finished in anodised aluminium.

Item code	2420D/100/20
Product type	IN
Category	Tracklights
Family	Tracks
Subfamily	Trifásico
Pictograms	



Picture



Scheme



2401D/02/04

DALI Right feeder

Picture



Scheme




2402D/04

DALI Flexible connector.

Picture



## Scheme



2403D/04

DALI continuity connector.

## Picture



## Scheme




2403D/10/04

Continuity connector with DALI connection.

## Picture



## Scheme



2407D/01/04

DALI connector "T" Left with possibility of connection.

Picture




2407D/02/04

DALI "T" connector Right with possibility of connection.

Picture



Scheme



2407D/03/04

DALI "T" connector Right with possibility of connection.

Picture



2407D/04/04

DALI connector "T" Left with possibility of connection.

Picture



2408D/01/04

DALI connector "L" Left with possibility of connection.

Picture




2408D/02/04

DALI "L" connector Right with possibility of connection.

Picture



Scheme



2409D/04

DALI "+" connector with possibility of connection.

Picture



Scheme



2413/00

Fastening directly to the ceiling.

Picture



Scheme




2417D/04

DALI adapter with cable

Picture



Scheme



2418/33

Support look.

Picture



---

Scheme



---

2431/00

Suspension clamp.

---

Picture



---

Scheme



---

2432/00

Reinforced suspension clamp.

---

Picture



---

Scheme



L=182 mm

---


2434/04

Ceiling rose fastening.

Picture



Scheme



2435/00

M6 threaded stem.

Picture



Scheme



L=2000mm

2438/00

M6 nut.

Picture





---

Scheme



---

2439/00

M6 adjustment sleeve.

Picture



---

Scheme



---

2440/00

Cable suspension.

Picture



---

Scheme



L=1500mm

---

2441/00

Bending tool.

Picture



Scheme



2442D/33

Cover linear accessories for rail DALI recessed.

Picture



Scheme

